## Contents

Aldenhoven, J. M.: Local variation in mortality rates and lifeexpectancy estimates of the coral-reef fish Centropyge bicolor (Pisces: Pomacanthidae) 237

Amiard, J. C.: see Amiard-Triquet, C. et al., 7

Amiard-Triquet, C.; Berthet, B.; Métayer, C.; Amiard, J. C.: Contribution to the ecotoxicological study of cadmium, copper and zinc in the mussel Mytilus edulis. II. Experimental study 7

Amouroux, J. M.: Comparative study of the carbon cycle in Venus verrucosa fed on bacteria and phytoplankton. II. Consumption of phytoplankton (Pavlova lutheri) 349

Baird, B. H.; Thistle, D.: Uptake of bacterial extracellular polymer by a deposit-feeding holothurian (Isostichopus badionotus) 183

Balch, W. M.: Exploring the mechanism of ammonium uptake in phytoplankton with an ammonium analogue, methylamine 163

Balduzzi, A.: see Boero, F. et al., 81

Bavestrello, G.: see Boero, F. et al., 81

Bellan, I. E.: see Robins, D. B., 587 Benville, P. E., Jr.: see MacFarlane, R. B., 245

Berthet, B.: see Amiard-Triquet, C. et al., 7

Boero, F.; Balduzzi, A.; Bavestrello, G.; Caffa, B.; Cattaneo Vietti, R.: Population dynamics of Eudendrium glomeratum (Cnidaria: Anthomedusae) on the Portofino Promontory (Ligurian Sea)

Boivin, Y.; Larrivée, D.; Himmelman, J. H.: Reproductive cycle of the subarctic brooding asteroid Leptasterias polaris 329

Briton, D.: see Williams, R., 595

Bruce, B.: see Ikeda, T., 545

Bulnheim, H.-P.; Scholl, A.: Genetic differentiation between populations of Talitrus saltator and Talorchestia deshayesii (Crustacea: Amphipoda) from coastal areas of the north-western European continent 525

Caffa, B.: see Boero, F. et al., 81 Campbell, A.; Stasko, A. B.: Movements of lobsters (*Homarus* americanus) tagged in the Bay of Fundy, Canada 393

Caputi, N.: see Loneragan, N. R. et al., 575

Carlucci, A. F.; Craven, D. B.; Robertson, K. J.; Williams, P. M.: Surface-film microbial populations: diel amino acid metabolism, carbon utilization, and growth rates 289

Cattaneo Vietti, R.: see Boero, F. et al., 81

Chapman, H. F.; Connell, D. W.: Uptake and clearance of diesel alkanes from sediments by the Great Barrier Reef gastropod Strombus luhuanus 15

Clark, K. B.: see Waugh, G. R., 483

Coleman, N.; Mann, T. F.; Mobley, M.; Hickman, N.: Mytilus edulis planulatus: an "integrator" of cadmium pollution? 1

Collins, N. R.: see Williams, R., 93

Connell, D. W.: see Chapman, H. F., 15

Craven, D. B.: see Carlucci, A. F. et al., 289

Creed, E. L.: see Levin, L. A., 103

Davis, L. H.: see Stoecker, D. K. et al., 21 Dowidar, N. M.: see Shaikh, E. A. et al., 405

Dubilier, N.: Association of filamentous epibacteria with Tubificoides benedii (Oligochaeta: Annelida) 285

Edmunds, P. J.; Spencer Davies, P.: An energy budget for Porites porites (Scleractinia) 339

Famme, P.; Riisgård, H. U.; Jørgensen, C. B.: On direct measurement of pumping rates in the mussel Mytilus edulis 323

Farrant, P. A.: Gonad development and the planulae of the temperate Australian soft coral Capnella gaboensis 381

Fiala-Médioni, A.; Métivier, C.; Herry, A.; Le Pennec, M.: Ultrastructure of the gill of the hydrothermal-vent mytilid Bathymodiolus sp. 65

Forcucci, D.; Lawrence, J. M.: Effect of low salinity on the activity, feeding, growth and absorption efficiency of Luidia clathrata (Echinodermata: Asteroidea) 315

Freeman, K. R.: see Mallet, A. L. et al., 475

Gartner-Kepay, K. E.: see Mallet, A. L. et al., 475

Gieskes, W. W.; Kraay, G. W.: Analysis of phytoplankton pigments by HPLC before, during and after mass occurrence of the microflagellate Corymbellus aureus during the spring bloom in the open northern North Sea in 1983 45

González-Gurriarán, E.: Seasonal changes of benthic megafauna in the Ría de Muros e Noia (Galicia, North-West Spain). II. Decapod crustaceans (Brachyura) 201

Gust, G.: see Hanson, J. L., 125

Haedrich, R. L.: see Houston, K. A., 563

Hanson, J. L.; Gust, G.: Circulation of perivisceral fluid in the sea urchin Lytechinus variegatus 125

Harrington, S. A.; Ikeda, T.: Laboratory observations on spawning, brood size and egg hatchability of the Antarctic krill Euphausia superba from Prydz Bay, Antarctica 231

Head, E. J. H.: Estimation of Arctic copepod grazing rates in vivo and comparison with in-vitro methods 371

Herndl, G. J.: see Peduzzi, P., 417

Herry, A.: see Fiala-Médioni, A. et al., 65

Hickman, N.: see Coleman, N. et al., 1

Himmelman, J. H.: see Boivin, Y. et al., 329

Himmelman, J. H.: see Martel, A. et al., 211

Houston, K. A.; Haedrich, R. L.: Food habits and intestinal parasites of deep demersal fishes from the upper continental slope east of Newfoundland, northwest Atlantic Ocean 563

Ikeda, T.; Bruce, B.: Metabolic activity and elemental composition of krill and other zooplankton from Prydz Bay, Antarctica, during early summer (November-December) 545

Ikeda, T.: see Harrington, S. A., 231

Jaccarini, V.: see Ruwa, R. K., 425

Jannasch, H. W.: see Wirsen, C. O. et al., 449

Jensen, P.: Nematode fauna in the sulphide-rich brine seep and adjacent bottoms of the East Flower Garden, NW Gulf of Mexico. IV. Ecological aspects 489

Joint, I. R.; Pomroy, A. J.: Photosynthetic characteristics of nanoplankton and picoplankton from the surface mixed layer 465

Jørgensen, C. B.: see Famme, P. et al., 323

Kaandorp, J. A.: Rocky substrate communities of the infralittoral fringe of the Boulonnais coast, NW France: a quantitative survey 255

Klein, K. R.: see Martel, A. et al., 211

Knutsen, H.: see Vogt, N. B. et al., 173

Kodama, M.: see Ogata, T., 31

Kolset, K.: see Vogt, N. B. et al.,

Koop, K.: see Linley, E. A. S., 457

Koyama, H.; Watanabe, H.: Studies on the fusion reaction in two species of Perophora (Ascidiacea) 267

Kraay, G. W.: see Gieskes, W. W., 45

Langston, W. J.; Mingjiang Zhou: Evaluation of the significance of metal-binding proteins in the gastropod Littorina littorea 505 Larrivée, D.: see Boivin, Y. et al., 329

Larrivée, D. H.: see Martel, A. et al., 211

Lawrence, J. M.: see Forcucci, D., 315

Lenanton, R. C. J.: see Loneragan, N. R. et al., 575

Le Pennec, M.: see Fiala-Médioni, A. et al., 65

Levin, L. A.; Creed, E. L.: Effect of temperature and food availability on reproductive responses of Streblospio benedicti (Polychaeta: Spionidae) with planktotrophic or lecithotrophic development 103

Lewis, M. R.: see McClatchie, S., 135

Linley, E. A. S.; Koop, K.: Significance of pelagic bacteria as a trophic resource in a coral reef lagoon, One Tree Island, Great Barrier Reef 457

Lobel, P. B.: Role of the kidney in determining the whole soft tissue zinc concentration of individual mussels (Mytilus edulis) 355

Loneragan, N. R.; Potter, I. C.; Lenanton, R. C. J.; Caputi, N.: Spatial and seasonal differences in the fish fauna in the shallows of a large Australian estuary 575

MacFarlane, R. B.; Benville, P. E., Jr.: Primary and secondary stress responses of striped bass (Morone saxatilis) exposed to

Mallet, A. L.; Zouros, E.; Gartner-Kepay, K. E.; Freeman, K. R.: Genetics of growth in blue mussels: family and enzyme-heterozygosity effects 475

Mann, T. F.: see Coleman, N. et al., 1

Marchant, H. J.; McEldowney, A.: Nanoplanktonic siliceous cysts from Antarctica are algae 53

Martel, A.; Larrivée, D. H.; Klein, K. R.; Himmelman, J. H.: Reproductive cycle and seasonal feeding activity of the neogastropod Buccinum undatum 211

McClatchie, S.; Lewis, M. R.: Limitations of grazing rate equations: the case for time-series measurements 135

McEldowney, A.: see Marchant, H. J., 53 Métayer, C.: see Amiard-Triquet, C. et al., Métivier, C.: see Fiala-Médioni, A. et al., Mingjiang Zhou: see Langston, W. J., 505 Mobley, M.: see Coleman, N. et al., Moksness, E.: see Vogt, N. B. et al., 173 Müller, M.: see Sauer, K. P. et al., 73

Nordenson, S.: see Vogt, N. B. et al., 173

Ochi, H.: Growth of the anemonefish Amphiprion clarkii in temperate waters, with special reference to the influence of settling time on the growth of 0-year olds 223

Ó Foighil, D.: Prodissoconch morphology is environmentally modified in the brooding bivalve Lasaea subviridis 517

Ogata, T.; Kodama, M.: Ichthyotoxicity found in cultured media of Protogonyaulax spp. 31

Ogden, J. C.: see Targett, N. M. et al., 141 Øresland, V.: Parasites of the chaetognath Sagitta setosa in the western English Channel 87

Peduzzi, P.; Herndl, G. J.: Role of bacteria in decomposition of faecal pellets egested by the epiphyte-grazing gastropod Gibbula umbilicaris 417

Pomroy, A. J.: see Joint, I. R., 465

Potter, I. C.: see Loneragan, N. R. et al., 575

Raimbault, P.: Effect of temperature on nitrite excretion by three marine diatoms during nitrate uptake 149

Rasmussen, L. P. D.: Occurrence, prevalence and seasonality of neoplasia in the marine mussel Mytilus edulis from three sites in Denmark 59

Riisgård, H. U.: see Famme, P. et al., 323

Rimmer, D. W.: Changes in diet and the development of microbial digestion in juvenile buffalo bream, Kyphosus cornelii 443 Robertson, K. J.: see Carlucci, A. F. et al., 289

Robins, D. B.; Bellan, I. E.: A controlled-temperature plankton wheel 587

Roff, J. C.: see Shaikh, E. A. et al., 405

Ruwa, R. K.; Jaccarini, V.: Dynamic zonation of Nerita plicata, N. undata and N. textilis (Prosobranchia: Neritacea) populations on a rocky shore in Kenya 425

Sauer, K. P.; Müller, M.; Weber, M.: Alloimmune memory for glycoproteid recognition molecules in sea anemones competing for space 73

Scholl, A.: see Bulnheim, H.-P., 525

Shaikh, E. A.; Roff, J. C.; Dowidar, N. M.: Phytoplankton ecology and production in the Red Sea off Jiddah, Saudi Arabia 405 Shanks, A. L.: Vertical migration and cross-shelf dispersal of larval Cancer spp. and Randallia ornata (Crustacea: Brachyura) off the

coast of southern California 189

Simon, V.: Le système assimilation-régénération des sels nutritifs dans les eaux superficielles de l'océan Austral. [The assimilationregeneration system of nutrient salts in the surface waters of the Southern Ocean] 431

Smith, G. J.: Ontogenetic influences on carbon flux in Aulactinia stelloides polyps (Anthozoa: Actiniaria) and their endosymbio-

tic algae 361

Snell, T. W.: Effect of temperature, salinity and food level on sexual and asexual reproduction in Brachionus plicatilis (Rotifera)

Soldatova, I. N.: Eco-physiological properties of Pontogammarus maeoticus (Amphipoda) in a salinity gradient 115

Spencer Davies, P.: see Edmunds, P. J., 339 Sporstøl, S. P.: see Vogt, N. B. et al., 173 Stasko, A. B.: see Campbell, A., 393

Stoecker, D. K.; Sunda, W. G.; Davis, L. H.: Effects of copper and zinc on two planktonic ciliates 21

Sunda, W. G.: see Stoecker, D. K. et al., 21 Swain, T.: see Wilson, J. O. et al., 277

Targett, N. M.; Targett, T. E.; Vrolijk, N. H.; Ogden, J. C.: Effect of macrophyte secondary metabolites on feeding preferences of the herbivorous parrotfish Sparisoma radians 141

Targett, T. E.: see Targett, N. M. et al., 141 Thistle, D.: see Baird, B. H., 183

Tuttle, J. H.: see Wirsen, C. O. et al., 449

Uye, S.: Impact of copepod grazing on the red-tide flagellate Chattonella antiqua 35

Valiela, I.: see Wilson, J. O. et al., 277

Vogt, N. B.; Moksness, E.; Sporstøl, S. P.; Knutsen, H.; Nordenson, S.; Kolset, K.: SIMCA principal component analysis of fatty acid patterns in Day-1 and Day-8 cod (Gadus morhua) and haddock (Melanogrammus aeglefinus) eggs 173

Vrolijk, N. H.: see Targett, N. M. et al., 141

Warwick, R. M.: A new method for detecting pollution effects on marine macrobenthic communities 557

Watanabe, H.: see Koyama, H., 267

Waugh, G. R.; Clark, K. B.: Seasonal and geographic variation in chlorophyll level of Elysia tuca (Ascoglossa: Opisthobranchia)

Weber, M.: see Sauer, K. P. et al., 73

Williams, P. M.: see Carlucci, A. F. et al., 289

Williams, R.; Briton, D.: Speech recognition as a means of enumeration in the analysis of biological samples 595

Williams, R.; Collins, N. R.: Seasonal composition of meroplankton and holoplankton in the Bristol Channel 93

Wilson, J. O.; Valiela, I.; Swain, T.: Carbohydrate dynamics during decay of litter of Spartina alterniflora 277

Winkler, A.: Effects of inorganic sea water constituents on branchial Na-K-ATPase activity in the shore crab Carcinus maenas

Wirsen, C. O.; Tuttle, J. H.; Jannasch, H. W.: Activities of sulfuroxidizing bacteria at the 21°N East Pacific Rise vent site 449

Zamer, W. E.: Physiological energetics of the intertidal sea anemone Anthopleura elegantissima. I. Prey capture, absorption efficiency and growth 299

Zouros, E.: see Mallet, A. L. et al., 475

Corrigendum 298

Indexed in Current Contents

